Titles of Most Frequently Occurring Classifications of Patents Returned From A Search of 09964100 on January 17, 2002

8 165/104.33 (2 OR, 6 XR) Class 165: HEAT EXCHANGE 165/104.11 INTERMEDIATE FLUENT HEAT EXCHANGE MATERIAL RECEIVING AND DISCHARGING HEAT 165/104.19 .Liquid fluent heat exchange material .. Cooling electrical device 165/104.33 7 123/557 (1 OR, 6 XR) Class 123: INTERNAL-COMBUSTION ENGINES 123/434 CHARGE FORMING DEVICE (E.G., POLLUTION CONTROL) 123/543 .Heating of combustible mixture 123/557 ..Fuel only 4 165/104.26 (1 OR, 3 XR) Class 165: HEAT EXCHANGE INTERMEDIATE FLUENT HEAT EXCHANGE MATERIAL 165/104.11 RECEIVING AND DISCHARGING HEAT 165/104.19 .Liquid fluent heat exchange material 165/104.21 .. Utilizing change of state 165/104.26 ...Utilizing capillary attraction 4 165/41 (4 OR, 0 XR)Class 165: HEAT EXCHANGE 165/41 WITH VEHICLE FEATURE 4 165/51 (0 OR, 4 XR)Class 165: HEAT EXCHANGE 165/47 STRUCTURAL INSTALLATION 165/51 .Engine 4 174/15.2 (0 OR, 4 XR)Class 174: ELECTRICITY: CONDUCTORS AND INSULATORS 174/8 WITH FLUIDS OR VACUUM 174/15.1 .With cooling or fluid feeding, circulating or distributing .. By heat pipe 174/15.2 3 29/890.043 (2 OR, 1 XR) Class 029: METAL WORKING

METHOD OF MECHANICAL MANUFACTURE

29/592

29/890.03 .Heat exchanger or boiler making 29/890.043 ..Tube joint and tube plate structure

3 122/26 (3 OR, 0 XR)

Class 122: LIQUID HEATERS AND VAPORIZERS

122/26 FRICTION GENERATOR

3 126/247 (0 OR, 3 XR)

Class 126: STOVES AND FURNACES

126/383.1 ... Collecting, directing, or shielding feature

for overflow or spatter of the liquid

126/247 .Frictional

3 165/104.21 (0 OR, 3 XR)

Class 165: HEAT EXCHANGE

165/104.11 INTERMEDIATE FLUENT HEAT EXCHANGE MATERIAL

RECEIVING AND DISCHARGING HEAT

165/104.19 .Liquid fluent heat exchange material

165/104.21 ...Utilizing change of state

3 165/140 (2 OR, 1 XR)

Class 165: HEAT EXCHANGE

165/140 THREE NON-COMMUNICATING FLUIDS

3 165/148 (1 OR, 2 XR)

Class 165: HEAT EXCHANGE

165/148 RADIATOR CORE TYPE

3 165/153 (0 OR, 3 XR)

Class 165: HEAT EXCHANGE

165/148 RADIATOR CORE TYPE

Deformed sheet forms passages between

side-by-side tube means

165/153 ... With tube manifold

3 165/154 (2 OR, 1 XR)

Class 165: HEAT EXCHANGE

165/154 NON-COMMUNICATING COAXIAL ENCLOSURES

3 165/163 (0 OR, 3 XR)

Class 165: HEAT EXCHANGE

165/157 CASING OR TANK ENCLOSED CONDUIT ASSEMBLY

165/163 .Conduit coiled within casing

3 165/170 (0 OR, 3 XR)

Class 165: HEAT EXCHANGE

165/168 CONDUIT WITHIN, OR CONFORMING TO, PANEL OR WALL

STRUCTURE

165/170 Opposed plates or shells

3 165/173 (1 OR, 2 XR)

Class 165: HEAT EXCHANGE

165/172 SIDE-BY-SIDE TUBULAR STRUCTURES OR TUBE

SECTIONS

165/173 .With manifold type header or header plate

3 165/175 (3 OR, 0 XR)

Class 165: HEAT EXCHANGE

165/172 SIDE-BY-SIDE TUBULAR STRUCTURES OR TUBE

SECTIONS

165/173 . With manifold type header or header plate

165/175 ...Inlet and outlet header means

3 165/76 (1 OR, 2 XR)

Class 165: HEAT EXCHANGE

165/76 WITH REPAIR OR ASSEMBLY MEANS

3 165/80.4 (1 OR, 2 XR)

Class 165: HEAT EXCHANGE

165/80.1 WITH RETAINER FOR REMOVABLE ARTICLE

165/80.2 .Electrical component

165/80.4 ..Liquid cooled

3 248/232 (0 OR, 3 XR)

Class 248: SUPPORTS

248/200 BRACKETS

248/232 .Radiator

3 257/714 (1 OR, 2 XR)

Class 257: ACTIVE SOLID-STATE DEVICES

257/678 HOUSING OR PACKAGE

257/712 . With provision for cooling the housing or its

contents

257/714 ..Liquid coolant

3 361/700 (1 OR, 2 XR)

Class 361: ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

361/600 HOUSING OR MOUNTING ASSEMBLIES WITH DIVERSE ELECTRICAL COMPONENTS

•	361/679 .For electronic systems and devices
	361/688With cooling means
	361/689Fluid
	361/699Liquid
	361/700Change of physical state
3 36	51/704 (2 OR, 1 XR)
	Class 361: ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES
	361/600 HOUSING OR MOUNTING ASSEMBLIES WITH DIVERSE ELECTRICAL COMPONENTS
	361/679 .For electronic systems and devices
	361/688With cooling means
	361/704Thermal conduction
2 2	4/625 (0 OR, 2 XR)
	Class 024: BUCKLES, BUTTONS, CLASPS, ETC.
	24/572.1 SEPARABLE-FASTENER OR REQUIRED COMPONENT
	THEREOF (e.g., projection and cavity to complete interlock)
	24/591.1 .Including member having distinct formations
	and mating member selectively interlocking therewith
	24/604Projection having movable connection between
	components thereof or variable configuration
	24/614Including resiliently biased projection
	component or surface segment
	24/618Forming total external surface of
	projection
	24/625Having inserted end formed by oppositely
	biased surface segments
2 6	0/618 (1 OR, 1 XR)
	Class 060: POWER PLANTS
	60/597 FLUID MOTOR MEANS DRIVEN BY WASTE HEAT OR BY
	EXHAUST ENERGY FROM INTERNAL COMBUSTION ENGINE
	60/614 .Having fluid motor motive fluid treating,
	controlling or conditioning means
	60/616 Having means to transfer heat energy between
	engine exhaust and motive fluid for fluid motor
	60/618Motive fluid is vaporized liquid
2 6	2/259.2 (1 OR, 1 XR)
2 0.	Class 062: REFRIGERATION
	62/259.1 STRUCTURAL INSTALLATION
	62/259.2 .With electrical component cooling

2 62/402 (1 OR, 1 XR)

Class 062: REFRIGERATION

62/401 AIR COMPRESSOR, COOLER AND EXPANDER TYPE

62/402 .Motor-type expander

2 62/467 (0 OR, 2 XR)

Class 062: REFRIGERATION

62/467 REFRIGERATION PRODUCER

2 74/579R (0 OR, 2 XR)

Class 074: MACHINE ELEMENT OR MECHANISM

74/469 CONTROL LEVER AND LINKAGE SYSTEMS

74/579R .Pitmans and connecting rods

2 123/41.31 (2 OR, 0 XR)

Class 123: INTERNAL-COMBUSTION ENGINES

123/41.01 COOLING

123/41.31 .With cooling of additional parts or materials

2 123/41.51 (0 OR, 2 XR)

Class 123: INTERNAL-COMBUSTION ENGINES

123/41.01 COOLING

123/41.51 .Plural radiators and/or tanks in series

2 123/541 (1 OR, 1 XR)

Class 123: INTERNAL-COMBUSTION ENGINES

123/434 CHARGE FORMING DEVICE (E.G., POLLUTION CONTROL)

123/540 .Cooling of combustible mixture

123/541 ...Fuel only

2 126/91A (0 OR, 2 XR)

Class 126: STOVES AND FURNACES

126/99R HOT-AIR FURNACES

126/58 .Heating

126/79 ... Smoke and gas returning

126/85R ...Gas

126/91RRadiator type

126/91AElongated radiant tube

2 165/104.11 (0 OR, 2 XR)

Class 165: HEAT EXCHANGE

165/104.11 INTERMEDIATE FLUENT HEAT EXCHANGE MATERIAL RECEIVING AND DISCHARGING HEAT

2 165/104.14 (0 OR, 2 XR)

Class 165: HEAT EXCHANGE

165/104.11 INTERMEDIATE FLUENT HEAT EXCHANGE MATERIAL RECEIVING AND DISCHARGING HEAT

165/104.13 .Plural intermediate fluent heat exchange

materials

165/104.14 ... Always out of direct contact with each other

2 165/152 (1 OR, 1 XR)

Class 165: HEAT EXCHANGE

165/148 RADIATOR CORE TYPE

165/152 .Deformed sheet forms passages between side-by-side tube means

2 165/179 (0 OR, 2 XR)

Class 165: HEAT EXCHANGE

165/177 TUBULAR STRUCTURE

165/179 .Projecting internal and external heat transfer means

2 165/274 (1 OR, 1 XR)

Class 165: HEAT EXCHANGE

165/200 WITH TIMER, PROGRAMMER, TIME DELAY, OR

CONDITION RESPONSIVE CONTROL

165/272

.Control of heat pipe heat transfer

characteristics

165/274 ...Control of vapor or liquid flow between evaporator and condenser sections (e.g., by variable restrictions, check valves, etc.)

2 165/905 (0 OR, 2 XR)

Class 165: HEAT EXCHANGE

165/905 MATERIALS OF MANUFACTURE

2 165/916 (0 OR, 2 XR)

Class 165: HEAT EXCHANGE 165/916 OIL COOLER

2 237/17 (0 OR, 2 XR)

Class 237: HEATING SYSTEMS

237/16 COMBINED RADIATOR AND BOILER

237/17 .Fluid fuel

2 237/56 (0 OR, 2 XR)

Class 237: HEATING SYSTEMS

237/56 WATER

2 237/81 (1 OR, 1 XR)

Class 237: HEATING SYSTEMS

237/81 PROCESSES

2 244/158A (2 OR, 0 XR)

Class 244: AERONAUTICS

244/158R

SPACECRAFT

244/158A

.Exterior surface air resistance heat control

2 244/163 (0 OR, 2 XR)

Class 244: AERONAUTICS

244/158R

SPACECRAFT

244/160

.Reentry vehicle

244/162

..Manned

244/163

...Environmental control

2 248/49 (0 OR, 2 XR)

Class 248: SUPPORTS

248/49

PIPE OR CABLE

2 248/65 (2 OR, 0 XR)

Class 248: SUPPORTS

248/49

PIPE OR CABLE

248/65

.Brackets

2 257/719 (0 OR, 2 XR)

Class 257: ACTIVE SOLID-STATE DEVICES

257/678

HOUSING OR PACKAGE

257/712

.With provision for cooling the housing or its

contents

257/718

..Heat dissipating element held in place by

clamping or spring means

257/719

...Pressed against semiconductor element

2 361/699 (0 OR, 2 XR)

Class 361: ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

361/600 HOUSING OR MOUNTING ASSEMBLIES WITH DIVERSE

ELECTRICAL COMPONENTS

361/679

.For electronic systems and devices

361/688

.. With cooling means

361/689 ...Fluid 361/699Liquid 2 361/707 (0 OR, 2 XR)Class 361: ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES 361/600 HOUSING OR MOUNTING ASSEMBLIES WITH DIVERSE **ELECTRICAL COMPONENTS** 361/679 .For electronic systems and devices 361/688 .. With cooling means 361/704 ...Thermal conduction 361/707Through support means 2 378/125 (0 OR, 2 XR)Class 378: X-RAY OR GAMMA RAY SYSTEMS OR DEVICES 378/119 **SOURCE** 378/121 .Electron tube 378/125 ..With movable target 2 378/137 (2 OR, 0 XR)Class 378: X-RAY OR GAMMA RAY SYSTEMS OR DEVICES 378/119 **SOURCE** 378/121 .Electron tube 378/137 .. With electron scanning or deflecting means 2 378/144 (0 OR, 2 XR)Class 378: X-RAY OR GAMMA RAY SYSTEMS OR DEVICES 378/119 **SOURCE** 378/143 .Target 378/144 ..Rotary 2 392/352 (0 OR, 2 XR) Class 392: ELECTRIC RESISTANCE HEATING DEVICES 392/347 .Convection space heater 392/352 .. Baseboard type 2 392/357 (2 OR, 0 XR)Class 392: ELECTRIC RESISTANCE HEATING DEVICES .Convection space heater 392/347 392/354 ..With intermediate heat absorber ...With fluid heat absorber 392/357 2 392/403 (0 OR, 2 XR)Class 392: ELECTRIC RESISTANCE HEATING DEVICES

392/386

.Vaporizer

392/394 ...Liquid evaporant (e.g., water, etc.)
392/403 ...Container with self-contained evaporant supply

2 392/423 (0 OR, 2 XR)

Class 392: ELECTRIC RESISTANCE HEATING DEVICES

392/407 .Radiant heater 392/422 ..With reflector

392/423 ...Elongated reflector

2 429/163 (2 OR, 0 XR)

Class 429: CHEMISTRY: ELECTRICAL CURRENT PRODUCING

APPARATUS, PRODUCT, AND PROCESS

429/122 CURRENT PRODUCING CELL, ELEMENTS, SUBCOMBINATIONS AND COMPOSITIONS FOR USE THEREWITH

AND

ADJUNCTS

429/163 .Cell enclosure structure, e.g., housing, casing, container, cover, etc.